



YORK
ALUMINUM



Canadian Made  To Suit Our Canadian Climate



Aluminum
Storm Doors,
Storm Windows
& Porch
Enclosures

York Storm Doors are designed and manufactured to suit our Canadian climate. Whether you choose the Bradford 2" frame or the Monarch 2 1/4" frame each door is custom made, virtually maintenance-free and built to last. The sturdy design provides added security and peace-of-mind while accentuating the appearance of your home for many years to come.

BRADFORD



2" STORM DOOR FRAME




MONARCH



2 1/4" STORM DOOR FRAME



OPTIONAL



HIDDEN VENT

The hidden vent retractable screen is designed to give you a clear view when closed and allow for ventilation when opened. The screen winds and unwinds from the top down of the factory installed cartridge when the operating sash is opened and closed.



STANDARD FEATURES:

- Baked on enamel finish
- Reinforced corners
- Four heavy duty hinges with oil-lite bearings
- 3mm tempered glass
- Black durable aluminum screen
- Superior weather-stripping system
- Insulated kick plate (Monarch doors only)
- Interchangeable screen included with One Lite & Full View Doors
- Pre hung
- Colour matched heavy duty closer for smooth operation.
- Conforms to CGSB standards

Also Available:

- Round top & shaped doors
- Insulated kick plate
- French door conversion
- Inswing doors
- Backer angle
- Pet mesh
- Mail slots
- Pet Door

DOORS SHOWN WITH BRADFORD PROFILE



HI-VIEW

Available in:

MONARCH

950 Hi-View
955 Hi-View
Hidden Vent

BRADFORD

802 Hi-View
845 Hi-View
Hidden Vent



TRUE-VIEW 1/2 LITE

Available in:

MONARCH

M266 True-View
1/2 Lite
Hidden Vent

BRADFORD

B265 True-View
1/2 Lite
Hidden Vent



EXTENDED VIEW

Available in:

MONARCH

990 Extended-View
995 Extended-View
Hidden Vent

BRADFORD

870 Extended-View
880 Extended-View
Hidden Vent



TRUE-VIEW 3/4 LITE

Available in:

MONARCH

M268 True-View
3/4 Lite
Hidden Vent

BRADFORD

B267 True-View
3/4 Lite
Hidden Vent



ONE-LITE

Available in:

MONARCH
900 One-Lite
910 One-Lite

BRADFORD
803 One-Lite



FULL VIEW

Available in:

BRADFORD
804 Full-View



TRI-LITE

2" CLASSIC ONLY

Available in:

BRADFORD
805 Tri-Lite
855 Tri-Lite
Hidden Vent
806 Tri-Lite



SELF STORING

Available in:

MONARCH
940 Self-Storing
945 Self-Storing
Hidden Vent

BRADFORD
801 Self-Storing
835 Self-Storing
Hidden Vent

HARDWARE

STANDARD HANDLES

DX HANDLES



SATIN SILVER



BLACK



WHITE

**LOCK
OPTION**



**LOCK
OPTION**



**DX KEYED
DEADBOLT**

**INTERIOR
DEADBOLT**

*HANDLES SHOWN ON CONTEMPORARY FRAME

OPTIONAL HANDLES

AJ LEVERS



118

SATIN SILVER



119

BLACK

*AJ LEVER INCLUDES KEYED DEADBOLT

*HANDLES SHOWN ON CONTEMPORARY FRAME

OPTIONAL HANDLES

MORTISE LEVERS

BRADFORD 2" DOORS ONLY



149

SATIN CHROME



147


MATTE BLACK



148


BRASS

*HANDLES SHOWN ON CLASSIC FRAME



EXIT BAR - WHITE & SILVER

COLOUR OPTIONS



MONARCH DOORS

2 1/4"

BLACK
CHESTNUT BROWN
PEBBLE
WHITE

BRADFORD DOORS

2"

BLACK
COMM. BROWN
CHESTNUT BROWN
IRON ORE
BROWNSTONE
PEBBLE
WHITE

*Actual colours may vary due to printing process and paper stocks. In order to select true colours, choose from actual paint swatches.

MEASURING INSTRUCTIONS



SCAN CODE FOR
STORM DOOR
INSTALLATION
INSTRUCTIONS

EXAMPLES OF SIZES TO ORDER:

Size	Opening Width	Opening Height
30" x 78"	29 3/4" to 30 1/4"	77 3/4" to 78 1/4"
32" x 80"	31 3/4" to 32 1/4"	79 3/4" to 80 1/4"
33" x 81"	32 3/4" to 33 1/4"	80 3/4" to 81 1/4"
34" x 82"	33 3/4" to 34 1/4"	81 3/4" to 82 1/4"
36" x 84"	35 3/4" to 36 1/4"	83 3/4" to 84 1/4"

*Storm Doors built in increments of 1/2" (both width and height)

HOW TO MEASURE YOUR DOOR:



1. Stand and face door opening and determine the hinge side (left or right).
2. Measure the opening between the casing (brick mould) at top, middle and the bottom to determine the width.
3. Measure the opening between the casing (brick mould) and the sill on both left and right side to determine the height.
4. The box sweep at the bottom of the storm door allows a 1/2" expansion. The door will be manufactured to allow a 1/4" adjustment up or down from the measurement provided.

ALWAYS:


- Take the smallest measurement
- Check the handle height, storm doors are predrilled at 40" from the bottom
- Check brick moulds face and depth (1-1/4" wide x 1-1/8" deep required)

NEVER MEASURE:

- Old door
- Interior door
- In between existing z-bar



CHOOSE THE DOOR HANGING



STORM WINDOWS

Storm windows 400 Series

Standard Features

- Custom made
- Face mount 1" flange
- Inserts removable from inside or outside
- Polypile weatherstripping on inserts
- Variable latching positions
- Durable black aluminum screen
- 3mm glass

Deluxe slider 300 Series

Standard Features


- Custom made
- Inside mount 1-1/8" frame depth
- Inserts removable from inside
- Polypile weatherstripping on inserts
- Durable black aluminum screen
- 3mm glass

Options

- Obscure glass
- Tempered glass
- Lexan glass
- Sill expander
- Round top windows
- Shaped windows

Advantages

- Affordability
- Reduces drafts
- Cuts energy costs
- Reduces noise
- Virtually maintenance free
- Protects existing wood windows



SLIDER



SINGLE HUNG



ONE LITE

COLOUR OPTIONS

BLACK

COMMERCIAL BROWN


CHESTNUT BROWN

BROWNSTONE

PEBBLE

WHITE

MILL FINISH



**DELUXE
SIDE SLIDER**

*Actual colours may vary due to printing process and paper stocks. In order to select true colours, choose from actual paint swatches.

PORCH ENCLOSURES

Our porch enclosures are manufactured from custom made enclosure panels which are specifically designed to fit into existing openings. Each panel is made from 1-3/4" aluminum enclosure rails and is assembled on site with slip channels for even and uneven openings. Storm doors are then installed to complete the enclosure, providing you with year-round beauty, versatility and comfort.



SCAN CODE FOR
ENCLOSURE
INSTALLATION
INSTRUCTIONS



Advantages

- Protection from the elements and insects
- A winter buffer zone keeping heat in and drafts and snow out
- Ventilation
- Added security
- Extra space
- Virtually maintenance-free

Standard Features

- Fixed or operating panels
- 3mm glass
- Custom slip channels for easy installation
- Custom closer and handle brackets

Options

- Hidden vent option
- Round top panel
- Shaped panels
- Tempered glass
- Obscured glass
- House numbers
- Pet Door

Standard Panel Options

- Transom
- Fixed
- Self-storing
- Hidden vent
- Deluxe slider
- Fixed over deluxe slider



COLOUR OPTIONS

BLACK

COMM. BROWN

IRON ORE

BROWNSTONE

PEBBLE

WHITE

*Actual colours may vary due to printing process and paper stocks. In order to select true colours choose from actual paint swatches.

WARRANTY POLICY

We warrant all our products and components as follows:

- Manufacturing processes for a period of five years.
- All hardware which includes handles, closers, chains, key locks and sash locks for a period of one year.
- All paint processes which include both extrusions and kick plate for a period of one year.
- Hidden vent motors which include the spring and the end caps for a period of one year.

Any warranty replacement is under the discretion of York Aluminum. Labour is not included.

This warranty does not apply to glass or screen breakage. This warranty does not apply to any damage caused by misuse or faulty installation.

The warranty does not apply to high winds or unforeseen extreme weather conditions.

The warranty does not apply to air or water infiltration.

Any flaws in our products such as glass or paint finishes are to be reported in writing along with proof of purchase within forty-eight hours.



1001 Corporate Drive • Burlington, ON L7L 5V
www.gentek.ca

Make us a part of your home.

